



SHOWERLINE SHOWER INSTALLATION KIT WITH LIQUID WATERPROOFING ACCESSORIES TECHNICAL SPECIFICATION

DESCRIPTION

The ShowerLine pre-sloped shower pan is a tileable shower receptor for ShowerLine linear drains. It is made of extruded rigid PET (polyethylene terephthalate) plastic foam. It is strong yet lightweight, non-reactive, economical, and shatterproof.

- Chemically stable, UV resistant and suitable for both interior and exterior use
- Can be used with liquid topical waterproofing
- Speed and consistency of installation
- Eliminates the need for traditional mud bed installations
- Lightweight, durable with high compressive strength 145PSI
- Interlocking design, can be quickly and easily modified to size and shape of on site conditions
- Meets IAPMO PS-106-2013
- Made of 100% post-consumer recycled content and is fully recyclable
- Custom curb sizes available

APPLICATIONS/USES

- Interior and exterior use
- Industrial, commercial and residential showers
- Gang showers
- Pet Showers

SUITABLE SUBSTRATES (INTERIOR ONLY)

- Concrete
- Exterior glue plywood
- Cement backer board**
- OSB or Avantech

**Consult cement backer board manufacturer for specific installation recommendations


PRODUCT SELECTOR

EXAMPLE: SLPAN-LWP48X74-ADA SHOWERLINE INSTALLATION KIT INCLUDING LIQUID WATERPROOFING KIT & ACCESSORIES WITH A 48"X74" CURBLESS PRE-SLOPED SHOWER PAN

SLPAN		-	LWP		
ShowerLine Installation Kit			Liquid Waterproofing Accessories		Pan Size
✓	CURBED PAN SIZE	OR	✓	CURBLESS PAN SIZE	
	32"x64"			48"x48"	
	40"x64"			48"x74"	
	48"x64"			48"x100"	

Access BIM/Revit content through www.oatey.com

Job Name _____	Item # _____
Location _____	
Engineer _____	Contractor _____
PO # _____	Tag _____
Representative _____	



APPROVALS AND LISTINGS


Before installing the QuickDrain system, check with your local building department/plumbing inspector to ensure compliance with the local building codes. QuickDrain is not responsible for any conflicts with local building codes or improper installation of any part of the assembly or the waterproofing membrane. Dimensions are subject to manufacturer's tolerance and can change without notice.

INSTALLATION KIT INCLUDES


- Drain support frame
- Quick Slope (SLQS1652, SLQS852)
- Curb (SLCURB)
- Screws (5)
- Liquid Waterproofing Accessories



**SHOWERLINE SHOWER INSTALLATION KIT
WITH LIQUID WATERPROOFING
ACCESSORIES TECHNICAL SPECIFICATION**



MODEL NUMBER	DSF	SLQ1652	SLQ852	SLCURB
SLPAN-LWP32x64	SLDSF32	2	-	1
SLPAN-LWP40x64	SLDSF40	2	1	1
SLPAN-LWP48x64	SLDSF48	3	-	1



MODEL NUMBER	SLQADA	SLQSADAEX1626	SLQSADAEX1652
SLPAN-LWP48x48-ADA	3	-	-
SLPAN-LWP48x74-ADA	3	3	-
SLPAN-LWP48x100-ADA	3	-	3

Access BIM/Revit content through www.oatey.com



SHOWERLINE SHOWER INSTALLATION KIT WITH LIQUID WATERPROOFING ACCESSORIES TECHNICAL SPECIFICATION

DESCRIPTION

- Liquid waterproofing accessories for use with any liquid waterproofing;
- Made of Non-Woven Polyester fabric
- Used to bridge joints and connections in the shower pan

APPROVALS AND LISTINGS

Before installing the QuickDrain system, check with your local building department/plumbing inspector to ensure compliance with the local building codes. QuickDrain is not responsible for any conflicts with local building codes or improper installation of any part of the assembly or the waterproofing membrane. Dimensions are subject to manufacturer's tolerance and can change without notice.

WATERPROOFING KIT INCLUDES

- Non Woven Polyester Curb Covers
- Non Woven Polyester Outside Corners
- Non Woven Polyester Inside Corners
- Non Polyester Reinforcement Fabric



KIT NUMBER	CURB COVERS	OUTSIDE CORNERS	INSIDE CORNERS	REINFORCEMENT FABRIC
SLPAN-LWP32x64 SLPAN-LWP40x64 SLPAN-LWP48x64	2	-	4	1
SLPAN-LWP48x48-ADA SLPAN-LWP48x74-ADA SLPAN-LWP48x100-ADA	-	2	2	1

Access BIM/Revit content through www.oatey.com